PLUS Search Results for S/N 10791329, Searched March 01, 2006

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1070	(rfid adj1 tag\$1) same (rfid adj1 reader\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:27
L2	183352	(range or ranging or distance) near2 (calcul\$ or determin\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L3	193	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L4	44538	(object near2 locat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:28
L5	119	3 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L6	4361030	(range or distance) smae (phase) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L7	119	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L8	50467	(range or distance) same (phase) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:30
L9	7	8 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:38
L10	3	linear adj1 trend adj1 fit	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 12:38



## Welcome United States Patent and Trademark Office

**BROWSE** 

((rfid and ranging)<in>metadata) <and> tag

((rfid and ranging)<in>metadata) <and> tag <and> phase <and> frequency

Fri, 3 Mar 2006, 11:01:35 AM EST

Search Query Display

#4

#5

☐ Search Session History

Edit an existing query or compose a new query in the Search Query Display.

## Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

SEARCH IEEE XPLORE GUIDE

SUPPORT

45

10

Recent S	Search Queries	Results				
#1	((rfid and ranging ) <in>metadata)</in>	54				
#2	((rfid and ranging) <in>metadata) <and> tag</and></in>	45				
<u>#3</u>	((rfid and ranging) <in>metadata) <and> tag <and> least squares</and></and></in>	(				



Help Contact Us Privacy & Security IEEE.org
© Copyright 2006 IEEE – All Rights Reserved